

222 Cavalcade Street, 77009-3213
P.O. Box 8768, Houston, Texas 77249-8768
Tel: (713) 692-9151 Fax: (713) 696-6205

Attention: Grady Smith

Ureco

1705 S. Evans Street
Greenville, NC 27834
P: 252-756-3862 / F: 252/756-3849

W/O. No.: URE004-09-08-94079-3
P.O. No.: Mason Frames
Report Date: 10/3/2005

Identification: 5'x5' Mason Frames, Item #377

COMPRESSIVE LOAD TESTING

	Load at Yield	Load per Leg	4:1 Safety Factor
Set #1	53,950 lbs.	13,488 lbs.	3,372 lbs. per leg
Set #2	61,450 lbs.	15,363 lbs.	3,841 lbs. per leg


Set #1 had a bend in leg upon receipt, which reduced load at yield.

Photographs taken during testing did not come out. Test configuration identical to that depicted in report for walk through frames tested.

Our letters and reports are for the exclusive use of the client to whom they are addressed and shall not be reproduced except in full without the approval of the testing laboratory. The use of our name must receive our written approval. Our letters and reports apply only to the sample tested and/or inspected, and are not indicative of the quantities of apparently identical or similar products. Material submitted to our metals department will be discarded after a period of 30 days unless otherwise directed.

Stork SWL, is an operating unit of Stork Materials Technology B.V., Amsterdam, The Netherlands, which is a member of the Stork group

Respectfully Submitted


Terry Wilt
Manager, Product Evaluation